

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110

CBN + Melatonin Gummy

Batch ID or Lot Number: SLGV2-120922	Test: Potency	Reported: 21Dec2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000230357	Started: 16Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 15Dec2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.010	0.034	ND	ND	
Cannabichromenic Acid (CBCA)	0.009	0.031	ND	ND	
Cannabidiol (CBD)	0.028	0.090	ND	ND	
Cannabidiolic Acid (CBDA)	0.029	0.093	ND	ND	
Cannabidivarin (CBDV)	0.007	0.021	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.012	0.039	ND	ND	
Cannabigerol (CBG)	0.006	0.019	ND	ND	
Cannabigerolic Acid (CBGA)	0.024	0.080	ND	ND	
Cannabinol (CBN)	0.007	0.025	0.400	4.00	
Cannabinolic Acid (CBNA)	0.016	0.055	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.028	0.095	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.026	0.087	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.023	0.077	ND	ND	
Tetrahydrocannabivarin (THCV)	0.005	0.017	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.020	0.068	ND	ND	
Total Cannabinoids			0.400	4.00	
Total Potential THC			ND	ND	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
21Dec2022
11:17:00 AM MST

PREPARED BY / DATE



Sam Smith
21Dec2022
11:19:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/0cf7f483-76a5-4776-a10d-b6d92f87c18e>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
0cf7f48376a54776a10db6d92f87c18e.1