

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110


Warming & Cooling Stick

Batch ID or Lot Number: SLMR-083022	Test: Potency	Reported: 02Sep2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000219987	Started: 01Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 30Aug2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.020	0.060	ND	ND	
Cannabichromenic Acid (CBCA)	0.018	0.055	ND	ND	
Cannabidiol (CBD)	0.052	0.154	1.220	12.20	
Cannabidiolic Acid (CBDA)	0.054	0.158	ND	ND	
Cannabidivarin (CBDV)	0.012	0.036	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.022	0.066	ND	ND	
Cannabigerol (CBG)	0.011	0.034	ND	ND	
Cannabigerolic Acid (CBGA)	0.048	0.142	ND	ND	
Cannabinol (CBN)	0.015	0.044	0.300	3.00	
Cannabinolic Acid (CBNA)	0.033	0.097	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.057	0.169	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.052	0.153	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.046	0.136	ND	ND	
Tetrahydrocannabivarin (THCV)	0.010	0.031	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.040	0.120	ND	ND	
Total Cannabinoids			1.520	15.20	
Total Potential THC			ND	ND	
Total Potential CBD			1.220	12.20	

Final Approval



Sam Smith
02Sep2022
03:40:00 PM MDT

PREPARED BY / DATE



Daniel Weidensaul
02Sep2022
03:46:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/74ac72f4-283b-4ccd-a03d-85414f3622df>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
74ac72f4283b4ccda03d85414f3622df.1