

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110


Warming & Cooling Topical

Batch ID or Lot Number: SLMR-111722	Test: Potency	Reported: 29Nov2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000228575	Started: 28Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 23Nov2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.020	0.062	ND	ND	
Cannabichromenic Acid (CBCA)	0.019	0.057	ND	ND	
Cannabidiol (CBD)	0.057	0.162	1.250	12.50	
Cannabidiolic Acid (CBDA)	0.059	0.166	ND	ND	
Cannabidivarin (CBDV)	0.014	0.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.024	0.069	ND	ND	
Cannabigerol (CBG)	0.012	0.035	ND	ND	
Cannabigerolic Acid (CBGA)	0.048	0.148	ND	ND	
Cannabinol (CBN)	0.015	0.046	0.320	3.20	
Cannabinolic Acid (CBNA)	0.033	0.101	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.058	0.176	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.052	0.160	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.046	0.141	ND	ND	
Tetrahydrocannabivarin (THCV)	0.011	0.032	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.041	0.125	ND	ND	
Total Cannabinoids			1.570	15.70	
Total Potential THC			ND	ND	
Total Potential CBD			1.250	12.50	

Final Approval



Sam Smith
29Nov2022
11:04:00 AM MST

PREPARED BY / DATE



Karen Winternheimer
29Nov2022
11:07:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/f7108e06-1f54-4988-83f3-c3a84c1a7bd2>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
f7108e061f54498883f3c3a84c1a7bd2.1