

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110


2000mg Full Spectrum Tincture

Batch ID or Lot Number: SLT8-110422	Test: Potency	Reported: 21Nov2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000227970	Started: 18Nov2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 17Nov2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.019	0.062	0.720	7.20	
Cannabichromenic Acid (CBCA)	0.017	0.057	ND	ND	
Cannabidiol (CBD)	0.059	0.171	7.430	74.30	
Cannabidiolic Acid (CBDA)	0.060	0.175	ND	ND	
Cannabidivarin (CBDV)	0.014	0.040	0.120	1.20	
Cannabidivarinic Acid (CBDVA)	0.025	0.073	ND	ND	
Cannabigerol (CBG)	0.011	0.035	0.070	0.70	
Cannabigerolic Acid (CBGA)	0.045	0.148	ND	ND	
Cannabinol (CBN)	0.014	0.046	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	0.030	0.101	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.053	0.177	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.048	0.160	0.200	2.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.043	0.142	ND	ND	
Tetrahydrocannabivarin (THCV)	0.010	0.032	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.038	0.125	ND	ND	
Total Cannabinoids			8.540	85.40	
Total Potential THC			0.200	2.00	
Total Potential CBD			7.430	74.30	

Final Approval



Sam Smith
21Nov2022
02:41:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
21Nov2022
02:45:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/631e827a-ba2d-44f7-8dad-740f595ad933>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
631e827aba2d44f78dad740f595ad933.1