

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110


Extra Strength CBN Tincture

Batch ID or Lot Number: SLT1X-110222	Test: Potency	Reported: 31Jan2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000233891	Started: 30Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Jan2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.005	0.016	ND	ND	
Cannabichromenic Acid (CBCA)	0.005	0.015	ND	ND	
Cannabidiol (CBD)	0.013	0.044	ND	ND	
Cannabidiolic Acid (CBDA)	0.014	0.046	ND	ND	
Cannabidivarin (CBDV)	0.003	0.011	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.006	0.019	ND	ND	
Cannabigerol (CBG)	0.003	0.009	ND	ND	
Cannabigerolic Acid (CBGA)	0.012	0.038	ND	ND	
Cannabinol (CBN)	0.004	0.012	1.910	19.10	
Cannabinolic Acid (CBNA)	0.008	0.026	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.014	0.045	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.013	0.041	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.011	0.036	ND	ND	
Tetrahydrocannabivarin (THCV)	0.003	0.008	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.010	0.032	ND	ND	
Total Cannabinoids			1.910	19.10	
Total Potential THC			ND	ND	
Total Potential CBD			ND	ND	

Final Approval



Sam Smith
31Jan2023
04:48:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
31Jan2023
04:54:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/ca31336d-18d0-42e1-b359-1da4266435a7>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

ca31336d18d042e1b3591da4266435a7.1