

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110

Extra Strength CBN Tincture

Batch ID or Lot Number: SLT1X-091622	Test: Potency	Reported: 05Oct2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000223367	Started: 04Oct2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 03Oct2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.015	0.057	ND	ND	
Cannabichromenic Acid (CBCA)	0.014	0.052	ND	ND	
Cannabidiol (CBD)	0.051	0.151	ND	ND	
Cannabidiolic Acid (CBDA)	0.052	0.154	ND	ND	
Cannabidivarin (CBDV)	0.012	0.036	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.022	0.064	ND	ND	
Cannabigerol (CBG)	0.009	0.032	ND	ND	
Cannabigerolic Acid (CBGA)	0.036	0.135	ND	ND	
Cannabinol (CBN)	0.011	0.042	2.010	20.10	
Cannabinolic Acid (CBNA)	0.025	0.092	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.043	0.161	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.039	0.147	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.035	0.130	ND	ND	
Tetrahydrocannabivarin (THCV)	0.008	0.029	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.031	0.115	ND	ND	
Total Cannabinoids			2.010	20.10	
Total Potential THC			ND	ND	
Total Potential CBD			ND	ND	

Final Approval



Daniel Weidensaul
05Oct2022
10:53:00 AM MDT



Sam Smith
05Oct2022
10:55:00 AM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/3089b6d4-2a92-491f-aa28-ec03b11bdd95>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
3089b6d42a92491faa28ec03b11bdd95.1