

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110


Warming & Cooling Topical

Batch ID or Lot Number: SLMR-011223	Test: Potency	Reported: 31Jan2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000233485	Started: 30Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Jan2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.018	0.058	ND	ND	
Cannabichromenic Acid (CBCA)	0.017	0.053	ND	ND	
Cannabidiol (CBD)	0.049	0.161	1.210	12.10	
Cannabidiolic Acid (CBDA)	0.050	0.165	ND	ND	
Cannabidivarin (CBDV)	0.012	0.038	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.021	0.069	ND	ND	
Cannabigerol (CBG)	0.010	0.033	ND	ND	
Cannabigerolic Acid (CBGA)	0.043	0.138	ND	ND	
Cannabinol (CBN)	0.013	0.043	0.310	3.10	
Cannabinolic Acid (CBNA)	0.029	0.094	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.051	0.164	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.047	0.149	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.041	0.132	ND	ND	
Tetrahydrocannabivarin (THCV)	0.009	0.030	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.036	0.117	ND	ND	
Total Cannabinoids			1.520	15.20	
Total Potential THC			ND	ND	
Total Potential CBD			1.210	12.10	

Final Approval



Sam Smith
31Jan2023
04:48:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
31Jan2023
04:54:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/de807fcd297-488e-b2a8-3591a2aeb807>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
de807fcd297488eb2a83591a2aeb807.1