

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110

CBN Gummy

Batch ID or Lot Number: SLGV-022123	Test: Potency	Reported: 03Mar2023	USDA License: N/A
Matrix: Unit	Test ID: T000236866	Started: 01Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Feb2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.266	0.838	ND	ND	# of Servings = 1, Sample Weight=3.5g
Cannabichromenic Acid (CBCA)	0.243	0.767	ND	ND	
Cannabidiol (CBD)	0.766	2.206	ND	ND	
Cannabidiolic Acid (CBDA)	0.785	2.263	ND	ND	
Cannabidivarin (CBDV)	0.181	0.522	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.328	0.944	ND	ND	
Cannabigerol (CBG)	0.151	0.476	ND	ND	
Cannabigerolic Acid (CBGA)	0.631	1.990	ND	ND	
Cannabinol (CBN)	0.197	0.621	17.540	5.00	
Cannabinolic Acid (CBNA)	0.431	1.358	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.752	2.371	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.683	2.153	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.605	1.908	ND	ND	
Tetrahydrocannabivarin (THCV)	0.137	0.433	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.534	1.683	ND	ND	
Total Cannabinoids			17.540	5.00	
Total Potential THC			ND	ND	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
03Mar2023
10:23:00 AM MST

PREPARED BY / DATE



Sam Smith
03Mar2023
10:24:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/07da59aa-dd48-4738-a778-49350b514bb7>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

07da59aadd484738a77849350b514bb7.1