

Prepared for:

**S.S.A INC**

1500 W. Hampden Ave STE 1B  
Englewood, CO USA 80110

## CBN Tincture

Batch ID or Lot Number: <b>SLT-032323</b>	Test: <b>Potency</b>	Reported: <b>12Apr2023</b>	USDA License: N/A
Matrix: Concentrate	Test ID: T000239707	Started: 12Apr2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 06Apr2023	Status: N/A

## Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.007	0.016	ND	ND	
Cannabichromenic Acid (CBCA)	0.006	0.015	ND	ND	
Cannabidiol (CBD)	0.018	0.043	ND	ND	
Cannabidiolic Acid (CBDA)	0.018	0.044	ND	ND	
Cannabidivarin (CBDV)	0.004	0.010	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.008	0.018	ND	ND	
Cannabigerol (CBG)	0.004	0.009	ND	ND	
Cannabigerolic Acid (CBGA)	0.016	0.039	ND	ND	
Cannabinol (CBN)	0.005	0.012	1.080	10.80	
Cannabinolic Acid (CBNA)	0.011	0.027	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.019	0.047	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.017	0.042	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.015	0.038	ND	ND	
Tetrahydrocannabivarin (THCV)	0.003	0.009	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.014	0.033	ND	ND	
<b>Total Cannabinoids</b>			<b>1.080</b>	<b>10.80</b>	
Total Potential THC			ND	ND	
Total Potential CBD			ND	ND	

## Final Approval



Karen Winternheimer  
12Apr2023  
02:37:00 PM MDT

PREPARED BY / DATE



Sam Smith  
12Apr2023  
02:39:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/4ff1f6f6-f74e-4b3a-b7b1-49e7ad5edbfb>

### Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa \*(0.877)) and Total CBD = CBD + (CBDA \*(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02  
4ff1f6f6f74e4b3ab7b149e7ad5edbfb.1