

Prepared for:

SSI

1500 W Hampden Ave STE 1B
Englewood, CO USA 80110


Full Spectrum Nighttime Gummy

Batch ID or Lot Number: 322-1292	Test: Potency	Reported: 28Mar2023	USDA License: N/A
Matrix: Unit	Test ID: T000239877	Started: 28Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD): Potency - Broad Spectrum Analysis, 0.01% THC	Received: 27Mar2023	Status: Active

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.240	0.758	4.179	1.19	# of Servings = 1 Sample Weight=3.5g
Cannabichromenic Acid (CBCA)	0.220	0.693	ND	ND	
Cannabidiol (CBD)	0.679	1.969	27.485	7.85	
Cannabidiolic Acid (CBDA)	0.696	2.020	ND	ND	
Cannabidivarin (CBDV)	0.161	0.466	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.290	0.842	ND	ND	
Cannabigerol (CBG)	0.136	0.430	1.029	0.29	
Cannabigerolic Acid (CBGA)	0.570	1.798	ND	ND	
Cannabinol (CBN)	0.178	0.561	8.052	2.30	
Cannabinolic Acid (CBNA)	0.389	1.227	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.679	2.142	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.103	0.324	3.033	0.87	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.091	0.287	ND	ND	
Tetrahydrocannabivarin (THCV)	0.124	0.391	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.482	1.521	ND	ND	
Total Cannabinoids			43.778	12.50	
Total Potential THC			3.033	0.87	
Total Potential CBD			27.485	7.85	

Final Approval



Sam Smith
28Mar2023
12:34:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
28Mar2023
12:41:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/bda02700-818e-4d9e-a5f0-86effbf7c598>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
bda02700818e4d9ea5f086effbf7c598.1