

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110


Pet Tincture

Batch ID or Lot Number: SLT4-022823	Test: Potency	Reported: 14Mar2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000238067	Started: 10Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 09Mar2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.026	0.080	<LOQ	<LOQ	
Cannabichromenic Acid (CBCA)	0.023	0.073	ND	ND	
Cannabidiol (CBD)	0.086	0.239	1.820	18.20	
Cannabidiolic Acid (CBDA)	0.088	0.245	ND	ND	
Cannabidivarin (CBDV)	0.020	0.057	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.037	0.102	ND	ND	
Cannabigerol (CBG)	0.014	0.045	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.061	0.190	ND	ND	
Cannabinol (CBN)	0.019	0.059	0.340	3.40	
Cannabinolic Acid (CBNA)	0.041	0.129	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.072	0.226	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.066	0.205	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.058	0.182	ND	ND	
Tetrahydrocannabivarin (THCV)	0.013	0.041	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.051	0.160	ND	ND	
Total Cannabinoids			2.160	21.60	
Total Potential THC			ND	ND	
Total Potential CBD			1.820	18.20	

Final Approval



Sam Smith
14Mar2023
01:52:00 PM MDT

PREPARED BY / DATE



Karen Winternheimer
14Mar2023
01:55:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/52c17337-7855-47f9-a39e-29f190373297>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
52c17337785547f9a39e29f190373297.1